

Water Analysis Report

Report Date: December 2009
 Testing Period: 1st - 2nd Quarter 2009

KEEPER SPRINGS™
 NATURAL SPRING
 WATER

| SUBSTANCE | MRL* | MCL** | LEVEL FOUND |
|---|--------|---------|-------------|
| Volatile Organic Compounds | | | |
| Benzene | 0.0005 | 0.005 | ND |
| Carbon tetrachloride | 0.0005 | 0.005 | ND |
| Chlorobenzene (Monochlorobenzene) | 0.0005 | 0.100 | ND |
| 1,2-Dichlorobenzene (o-DCB) | 0.0005 | 0.600 | ND |
| 1,4-Dichlorobenzene (p-DCB) | 0.0005 | 0.075 | ND |
| 1,1-Dichloroethane (1,1-DCA) | 0.0005 | 0.005† | ND |
| 1,2-Dichloroethane (1,2-DCA) | 0.0005 | 0.005 | ND |
| 1,1-Dichloroethylene | 0.0005 | 0.007 | ND |
| cis-1,2-Dichloroethylene | 0.0005 | 0.070 | ND |
| trans-1,2-Dichloroethylene | 0.0005 | 0.100 | ND |
| 1,2-Dichloropropane | 0.0005 | 0.005 | ND |
| 1,3-Dichloropropene (Telone II) | 0.0005 | 0.0005† | ND |
| Ethylbenzene | 0.0005 | 0.700 | ND |
| Methylene chloride (Dichloromethane) | 0.0005 | 0.005 | ND |
| Methyl-tert-Butyl-ether (MTBE) | 0.003 | 0.013† | ND |
| Styrene | 0.0005 | 0.100 | ND |
| 1,1,2,2-Tetrachloroethane | 0.0005 | 0.001† | ND |
| Tetrachloroethylene | 0.0005 | 0.005 | ND |
| Toluene | 0.0005 | 1.000 | ND |
| 1,2,4-Trichlorobenzene | 0.0005 | 0.070 | ND |
| 1,1,1-Trichloroethane (1,1,1-TCA) | 0.0005 | 0.200 | ND |
| 1,1,2-Trichloroethane (1,1,2-TCA) | 0.0005 | 0.005 | ND |
| Trichloroethylene (TCE) | 0.0005 | 0.005 | ND |
| Trichlorofluoromethane (Freon 11) | 0.005 | 0.150† | ND |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane (Freon 113) | 0.010 | 1.200† | ND |
| Trihalomethanes (THM - Total) | 0.0005 | 0.080 | ND |
| Vinyl Chloride (VC) | 0.0005 | 0.002 | ND |
| Xylenes (Total) | 0.0005 | 10.000 | ND |
| Synthetic Organic Compounds | | | |
| Alachlor | 0.0002 | 0.002 | ND |
| Aldicarb | 0.0005 | 0.003 | ND |
| Aldicarb sulfone | 0.0008 | 0.002 | ND |

All units in (mg/l) or Parts per Million (PPM) unless otherwise indicated.

♦ Secondary Standard. Non-enforceable guidelines regulating contaminants that may cause cosmetic or aesthetic effects in drinking water.

† Set by California Dept. of Health Services

Water Analysis Report

Report Date: December 2009
 Testing Period: 1st - 2nd Quarter 2009

KEEPER SPRINGS™
 NATURAL SPRING
 WATER

| SUBSTANCE | MRL* | MCL** | LEVEL FOUND |
|--|-----------------------|-----------------------|-------------|
| Synthetic Organic Compounds (continued) | | | |
| Aldicarb sulfoxide | 0.0005 | 0.004 | ND |
| Atrazine | 0.0001 | 0.003 | ND |
| Bentazon | 0.002 | 0.018† | ND |
| Benzo(a)pyrene | 0.00002 | 0.0002 | ND |
| Carbofuran | 0.0009 | 0.040 | ND |
| Chlordane | 0.0002 | 0.002 | ND |
| Dalapon | 0.001 | 0.200 | ND |
| 1,2-Dibromo-3-chloropropane (DBCP) | 0.00002 | 0.0002 | ND |
| 2,4-Dichlorophenoxyacetic acid (2,4-D) | 0.0001 | 0.070 | ND |
| Di(2-ethylhexyl)adipate | 0.0006 | 0.400 | ND |
| Di(2-ethylhexyl)phthalate | 0.0006 | 0.006 | ND |
| Dinoseb | 0.0002 | 0.007 | ND |
| Diquat | 0.0004 | 0.020 | ND |
| Endothall | 0.009 | 0.100 | ND |
| Endrin | 0.00001 | 0.002 | ND |
| Ethylene dibromide | 0.00001 | 0.00005 | ND |
| Glyphosate | 0.006 | 0.700 | ND |
| Heptachlor | 0.00004 | 0.0004 | ND |
| Heptachlor epoxide | 0.00002 | 0.0002 | ND |
| Hexachlorobenzene | 0.0001 | 0.001 | ND |
| Hexachlorocyclopentadiene | 0.0001 | 0.050 | ND |
| Lindane | 0.00002 | 0.0002 | ND |
| Methoxychlor | 0.0001 | 0.040 | ND |
| Molinate | 0.002 | 0.020† | ND |
| Oxamyl | 0.002 | 0.200 | ND |
| Pentachlorophenol | 0.00004 | 0.001 | ND |
| Picloram | 0.0001 | 0.500 | ND |
| Polychlorinated biphenyls (PCBs) | 0.0001 | 0.0005 | ND |
| Simazine | 0.00007 | 0.004 | ND |
| Thiobencarb | 0.001 | 0.070† | ND |
| Toxaphene | 0.001 | 0.003 | ND |
| 2,3,7,8-TCDD (Dioxin) | 0.005 x 0.010 - 0.006 | 0.003 x 0.010 - 0.005 | ND |
| 2,4,5-TP (Silvex) | 0.0002 | 0.050 | ND |

All units in (mg/l) or Parts per Million (PPM) unless otherwise indicated.

◆ Secondary Standard. Non-enforceable guidelines regulating contaminants that may cause cosmetic or aesthetic effects in drinking water.

† Set by California Dept. of Health Services

Water Analysis Report

Report Date: December 2009
 Testing Period: 1st - 2nd Quarter 2009

KEEPER SPRINGS™
 NATURAL SPRING
 WATER

| SUBSTANCE | MRL* | MCL** | LEVEL FOUND |
|--------------------------------------|---------|-----------------|---------------|
| Inorganic Minerals and Metals | | | |
| Aluminum | 0.050 | 0.200 | ND |
| Antimony | 0.00040 | 0.006 | ND |
| Arsenic | 0.0014 | 0.010 | ND |
| Barium | 0.002 | 2.00 | 0.011 – 0.012 |
| Beryllium | 0.0003 | 0.004 | ND |
| Bicarbonate | 1.00 | NR | 15 – 232 |
| Bromate | 0.005 | 0.010 | ND |
| Bromide | 0.005 | NR | ND – 0.028 |
| Cadmium | 0.001 | 0.005 | ND |
| Calcium | 0.10 | NR | 12 – 49 |
| Chloride | 0.10 | 250 | 6.5 – 8.9 |
| Chromium | 0.001 | 0.100 | ND |
| Copper | 0.050 | 1.00 | ND |
| Cyanide | 0.020 | 0.200 | ND |
| Fluoride | 0.100 | 2.0 (1.4 - 2.4) | ND – 1.3 |
| Iron | 0.010 | 0.300 | ND |
| Lead | 0.005 | 0.015 | ND |
| Magnesium | 0.10 | NR | 4 – 19 |
| Manganese | 0.020 | 0.050 | ND |
| Mercury | 0.0002 | 0.002 | ND |
| Nickel | 0.0005 | 0.100 | ND |
| Nitrate (as N) | 0.010 | 10.00 | 0.64 – 0.79 |
| Nitrite (as N) | 0.010 | 1.00 | ND |
| Potassium | 0.10 | NR | 0.68 – 2.8 |
| Selenium | 0.005 | 0.005 | ND |
| Silver | 0.010 | 0.100 | ND |
| Sodium | 0.20 | NR | 5.5 – 16 |
| Sulfate ♦ | 0.10 | 250.00 | 23 – 27 |
| Thallium | 0.0003 | 0.002 | ND |
| Zinc | 0.050 | 5.00 | ND |

All units in (mg/l) or Parts per Million (PPM) unless otherwise indicated.

♦ Secondary Standard. Non-enforceable guidelines regulating contaminants that may cause cosmetic or aesthetic effects in drinking water.

† Set by California Dept. of Health Services

Water Analysis Report

Report Date: December 2009
 Testing Period: 1st - 2nd Quarter 2009

KEEPER SPRINGS™
 NATURAL SPRING
 WATER

| SUBSTANCE | MRL* | MCL** | LEVEL FOUND |
|---------------------------------------|--------------|-----------|--|
| Radiologicals | | | |
| Gross alpha particle activity (pCi/L) | 3.00 | 15.00 | All Radiological results are in full compliance with all FDA and EPA standards for bottled and drinking water. |
| Gross beta (pCi/L) | 4.00 | 50.00† | |
| Radium 226 + Radium 228 (sum) (pCi/L) | 1.00 | 5.00 | |
| Uranium | 0.001 | 0.030 | |
| Other Parameters | | | |
| Alkalinity | 1.00 | NR | 15 – 191 |
| Asbestos (MFL) | 0.01 | 7.00 | ND |
| Conductivity (umhos/cm) | 1.00 | NR | 129 – 444 |
| Hardness, Calcium | 0.50 | NR△ | 29 – 49 |
| Total Dissolved Solids ♦ | 1.00 | 500 | 74 – 266 |
| pH (units) ♦ | NA | 6.5 – 8.5 | 6.41 – 8 |
| Turbidity (NTU) | 0.1000 | 5.0 | ND |
| Total Coliform | <1cfu/100 ml | Absent | Absent |

All units in (mg/l) or Parts per Million (PPM) unless otherwise indicated.

△ Total Hardness

♦ Secondary Standard. Non-enforceable guidelines regulating contaminants that may cause cosmetic or aesthetic effects in drinking water.

† Set by California Dept. of Health Services

Level Found - The highest level of each substance detected at or above the MRL* in representative finished product samples.

****MCL** - Maximum Contaminant Level. The highest level of a substance allowed by law in drinking water (bottled or tap water). The MCLs shown are the federal MCLs set by the U.S. Environmental Protection Agency and the Food and Drug Administration, unless no federal MCL exists.

†Where no federal MCL exists, the MCLs shown are the California MCLs set by the California Department of Health Services. California MCLs are identified with an (†).

MFL - Million Fibers per Liter.

***MRL** - Minimum Reporting Limit. Where available, MRLs reflect the Method Detection Limits (MDLs) set by the U.S. Environmental Protection Agency or the Detection Limits for Purposes of Reporting (DLRs) set by the California Department of Health Services. These values are set by the agencies to reflect the lowest concentration of each substance that can be accurately quantified by applicable testing methods, and are also the minimum reporting thresholds applicable to the Consumer Confidence Reports produced by tap water suppliers.

ND - Not detected at or above the MRL.

ppb - Parts per Billion. Equivalent to micrograms per liter (µg/l).

NR - Not listed in State or Federal drinking water regulations.

NA - Not applicable to specific test method or test parameter.

Terms:

“statement of quality” – The standard (statement) of quality for bottled water is the highest level of a contaminant that is allowed in a container of bottled water, as established by the United States Food and Drug Administration (FDA) and the California Department of Public Health. The standards can be no less protective of public health than the standards for public drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health.

“public health goal (PHG)” – The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

“primary drinking water standard” – MCLs for contaminants established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health that affect health along with their monitoring and reporting requirements, and water treatment requirements.



Our product has been thoroughly tested in accordance with federal and California law. Our bottled water is a food product and can not be sold unless it meets the standards established by the U.S. Food and Drug Administration and the California Department of Public Health.

Statements Required Under California Law

“Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States Food and Drug Administration, Food and Cosmetic Hotline (1-888-723-3366).”

“Some persons may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, including, but not limited to, persons with cancer who are undergoing chemotherapy, persons who have undergone organ transplants, persons with HIV/AIDS or other immune system disorders, some elderly persons, and infants can be particularly at risk from infections. These persons should seek advice about drinking water from their health care providers. The United States Environmental Protection Agency and the Centers for Disease Control and Prevention guidelines on appropriate means to lessen the risk of

infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).”

“The sources of bottled water include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water naturally travels over the surface of the land or through the ground, it can pick up naturally occurring substances as well as substances that are present due to animal and human activity. Substances that may be present in the source water include any of the following:

1. Inorganic substances, including, but not limited to, salts and metals, that can be naturally occurring or result from farming, urban storm water runoff, industrial or domestic wastewater discharges, or oil and gas production.
2. Pesticides and herbicides that may come from a variety of sources, including, but not limited to, agriculture, urban storm water runoff, and residential uses.

3. Organic substances that are byproducts of industrial processes and petroleum production and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems.
4. Microbial organisms that may come from wildlife, agricultural livestock operations, sewage treatment plants, and septic systems.
5. Substances with radioactive properties that can be naturally occurring or be the result of oil and gas production and mining activities.”

FDA website for recalls:

<http://www.fda.gov/opacom/7alerts.html>

In order to ensure that bottled water is safe to drink, the United States Food and Drug Administration and the State Department of Public Health prescribe regulations that limit the amount of certain contaminants in water provided by bottled water companies.